

189-265A: Advanced Calculus

Assignment 2 (due Thursday October 11, 2001)

1. The centroid of a plane region R of area A has coordinates (\bar{x}, \bar{y}) given by

$$\bar{x} = \frac{1}{A} \iint_R x \, dx dy, \quad \bar{y} = \frac{1}{A} \iint_R y \, dx dy.$$

- (a) Show that the centroid is the unique point such that the moment of R with respect to any line passing through this point is zero. Deduce that the centroid lies on any line of symmetry of R . Recall that the moment of R with respect to the line L with equation $ax + by + c = 0$ is $\iint_R h(x, y) \, dx dy$, where

$$h(x, y) = \frac{ax + by + c}{\sqrt{a^2 + b^2}}$$

is the signed distance of the point (x, y) to L .

- (b) Find the centroid of the finite region bounded by the curves $y = x^2 - x$ and $y = x$ in two ways: (a) directly and (b) by means of Green's Theorem.

2. Let C be circle $x^2 + y^2 = 2x + 2y$ with counterclockwise orientation. Compute

$$\int_C y^2 dx - x^2 dy$$

in two ways: (i) directly and (ii) using Green's Theorem.

3. Let R the region bounded by the closed curve $x = 1 - t^2$, $y = t - t^3$, $-1 \leq t \leq 1$.

- (a) Find the area of R .

- (b) Find the flux of $\vec{F} = (x + \sin(y))\vec{i} + (2y - e^{x^2})\vec{j}$ out of R .

4. If C is the positively oriented boundary of the square region with vertices at $(\pm 2, 0)$, $(0, \pm 2)$, compute

$$\int_C \frac{(x-1) dx + y dy}{(x-1)^2 + y^2}.$$

5. Use the flux form of Green's Theorem to prove Green's first identity:

$$\iint_R f \nabla^2 g \, dxdy = \int_C f(\nabla g) \cdot \vec{N} \, ds - \iint_R \nabla f \cdot \nabla g \, dxdy,$$

where C is the positively oriented boundary of the plane region R and the appropriate derivatives of f and g are continuous on R .